

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1	452929.332	2351200.904	1230.77	Survey Pt	MAG NAIL - GPS POINT
2	456731.182	2351151.178	1168.068	Survey Pt	MAG NAIL - GPS POINT
8	459419.463	2353763.993	1143.034	CL MON	MON BOX - GPS POINT
9	463496.462	2353709.147	1059.981	CL MON	MON BOX-3/4" IBF - GPS POINT
17	453034.206	2358933.405	1132.237	STARK MON	WAS-1-1 - GPS POINT
19	456382.999	2359111.211	1091.02	CL MON	MON BOX - GPS POINT
20	457992.279	2359085.376	1075.966	CL MON	MON BOX - GPS POINT
21	460957.303	2359039.08	1052.777	CL MON	MON BOX - GPS POINT
22	450460.764	2353942.61	1232.222	CL MON	MON BOX-1" IBF
25	454575.658	2356490.905	1190.556	CL MON	MON BOX - GPS POINT
26	456348.959	2356469.557	1148.133	CL MON	MON BOX - GPS POINT
27	457534.754	2356443.315	1145.734	CL MON	MON BOX - GPS POINT
28	459446.068	2356414.944	1130.31	CL MON	MON BOX - GPS POINT
31	457973.095	2357725.477	1093.161	CL MON	MON BOX
34	450783.191	2356269.786	1203.353	CL MON	MON BOX
37	462266.323	2352400.097	1073.737	CL MON	MON BOX
38	462256.703	2351076.397	1082.542	CL MON	1" STEEL SPIKE - GPS POINT
47	455480.152	2349502.132	1206.344	CL MON	MON BOX-3/4" IBF - GPS POINT
62	452073.432	2352162.75	1250.366	CL MON	MON BOX - GPS POINT
73	457517.944	2344340.848	1182.742	CL MON	MON BOX - GPS POINT
74	455425.97	2347782.659	1212.263	CL MON	MON BOX-1" IBF
77	466292.339	2358195.018	1056.886	STARK MON	LEX - 24 - STARK COUNTY GPS MON
78	463426.24	2350687.386	1082.464	STARK MON	LEX - 26 - STARK COUNTY GPS MON
79	460773.248	2342797.199	1104.093	STARK MON	LEX - 28 - STARK COUNTY GPS MON
80	453034.206	2358933.405	1132.237	STARK MON	WAS - 1- STARK COUNTY GPS MON
81	452774.198	2338190.741	1190.622	STARK MON	WAS - 5 - STARK COUNTY GPS MON
83	451698.269	2342793.351	1234.143	CL MON	MON BOX-1" IBF
272	449167.2691	2348016.936	0	CL MON	MON BOX-1" IBF
294	450773.049	2348890.425	0	CL MON	MON BOX-1" IBF
296	450776.4168	2349058.67	0	CL MON	MON BOX-1" IBF
297	451381.1698	2349180.934	0	CL MON	MON BOX-1" IBF
302	450774.178	2349224.969	0	CL MON	MON BOX-1" IBF
326	450846.492	2349542.99	0	CL MON	MON BOX-1" IBF
327	451443.7067	2349506.475	0	CL MON	MON BOX-1" IBF
330	451568.2488	2349510.308	0	CL MON	MON BOX-1" IBF
1000	456947.6315	2351148.11	0	CL MON	MON BOX-1" IBF
1001	456957.3956	2352404.07	1166.265	CL MON	1" PINCHTOP
1002	456959.7735	2352671.099	1165.299	CL MON	1" IB
1003	456968.2746	2353803.465	1157.747	CL MON	5/8" IB
1005	456465.4808	2353810.989	1166.233	CL MON	1 1/2" IB
1006	456599.0372	2351152.945	1169.37	CL MON	AXLE
1007	456249.0823	2351157.519	1175.94	CL MON	1"IBF
1008	455485.0326	2351167.555	0	CL MON	MON BOX-1" IBF
1009	455487.3201	2351526.238	1189.851	CL MON	1" IP BENT
1010	455489.8302	2351886.404	1196.798	CL MON	1" IP
1011	455492.5247	2352247.849	1204.452	CL MON	3/4" IB
1012	455503.3704	2353825.852	1196.015	CL MON	1" SQ. IB
1013	455200.4323	2351170.68	1192.471	CL MON	1" IBF
1014	454845.4144	2352255.717	1210.81	CL MON	3/4" IP
1015	454844.8366	2353201.326	1204.003	CL MON	1/2" SQ. IB
1016	454844.5456	2353834.062	1200.438	CL MON	1" SQ. IB
1019	456772.2549	2355049.679	1171.674	CL MON	1" SQ. IB
1020	456785.4445	2355359.93	1173.819	CL MON	1" SQ. IB
1021	456775.401	2355360.094	1174.099	CL MON	1" IB
1022	456789.3157	2355815.417	1174.668	CL MON	1" IP
1023	456792.1349	2356185.372	1169.247	CL MON	1"SQ. IB BENT

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1024	456794.7231	2356456.634	1153.852	CL MON	1" IB
1025	456475.0823	2354681.671	0	CL MON	MON BOX-1" IBF
1026	456479.186	2355053.809	1180.3	CL MON	1" HEXHEAD
1027	456490.6049	2355363.98	1182.318	CL MON	1" SQ. IB
1028	456492.7103	2355594.569	1182.821	CL MON	1" IB
1029	456494.2803	2355819.733	1177.45	CL MON	1" IB
1030	456184.0289	2354685.707	1189.221	CL MON	3/4" IB
1031	456188.1247	2355057.849	1189.083	CL MON	1" IB
1032	455887.8112	2354689.967	1200.41	CL MON	1" IB
1033	455897.006	2355061.877	1197.514	CL MON	1" IB
1034	455892.0004	2355061.938	1197.443	CL MON	3/4" IB
1035	455900.5642	2355371.627	1199.995	CL MON	1" IB
1036	455895.2267	2355444.852	1198.399	CL MON	1" IB
1037	455896.361	2355602.269	1192.212	CL MON	1" IB
1038	455898.3148	2355828.253	1182.855	CL MON	1" SQ. IB
1039	455901.1285	2356198.225	1162.87	CL MON	1" IB
1040	455903.2065	2356477.713	1145.871	CL MON	1/2" IP
1041	455352.215	2355083.066	1210.608	CL MON	3/4" IB
1043	455357.926	2355830.683	1180.097	CL MON	1" IB
1044	455361.0964	2356201.047	1164.258	CL MON	1" IB
1047	455076.9872	2355086.574	1207.467	CL MON	3/4" SQ. IB
1050	457544.8403	2357143.244	1114.365	CL MON	1" IB
1053	457557.3189	2358028.125	0	CL MON	MON BOX-1" IBF
1056	457224.714	2357149.005	1118.446	CL MON	1" IB
1057	457229.0466	2357444.063	0	CL MON	MON BOX-1" IBF
1058	457233.2098	2357739.034	0	CL MON	MON BOX-1" IBF
1059	457237.3729	2358034.004	0	CL MON	MON BOX-1" IBF
1061	456801.5053	2357156.766	1116.34	CL MON	1" IP BENT
1064	456357.8897	2357165.024	1127.132	CL MON	3/4" SQ. IB
1066	456366.5559	2357754.955	1115.059	CL MON	1" IB
1067	456370.7503	2358050.146	1109.776	CL MON	1" PINCHTOP
1068	456374.681	2358325.462	1104.967	CL MON	3/4" IB
1069	456378.0613	2358580.434	1100.027	CL MON	1" IP
1070	456381.9836	2358835.806	1095.452	CL MON	3/4" SQ. IB W/ 1" HEAD
1073	455911.7484	2357173.101	1137.314	CL MON	5/8" IB
1077	455926.4241	2358333.489	1117.497	CL MON	3/4" IB
1078	455929.5335	2358588.689	1113.884	CL MON	STAR SPK.
1079	455932.6363	2358843.347	1108.19	CL MON	1" IB
1080	455937.3791	2359118.567	1098.06	CL MON	MAG
1081	454690.2442	2351175.994	1200.89	CL MON	1" IBF
1085	454845.2438	2352315.693	1211.398	CL MON	1" IB
1087	454543.575	2353204.834	1207.244	CL MON	1" IB
1088	454543.2309	2353837.806	1203.533	CL MON	1" IP
1089	454538.2506	2353837.884	1203.538	CL MON	1" IP
1090	454252.8632	2351181.154	1207.535	CL MON	MON BOX-1" IBF
1091	453948.0102	2351184.666	1213.027	CL MON	MON BOX-3/4" IPF
1092	453643.202	2351188.123	1217.768	CL MON	MON BOX-1 1/2" IBF
1093	453333.0932	2351191.638	1222.94	CL MON	MON BOX-1/2" IPF
1094	453337.7116	2351959.356	1233.1	CL MON	MON BOX-1" IBF
1095	453340.596	2352404.117	1230.545	CL MON	1" IB
1096	453343.9541	2352904.26	1228.169	CL MON	3/4" IB
1097	453346.0228	2353219.334	0	CL MON	MON BOX-1" IBF
1098	453348.3079	2353534.383	1220.097	CL MON	3/4" IB
1099	453350.4477	2353852.437	1221.001	CL MON	1" IP
1101	453985.0214	2353844.644	1212.122	CL MON	3/4" IP
1103	454556.0112	2355093.392	1201.813	CL MON	1" IB

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1104	454561.1876	2355459.28	1201.34	CL MON	RR SPK.
1105	454566.3866	2355841.157	1196.633	CL MON	MAG NAIL
1106	454571.9032	2356211.634	1192.312	CL MON	3/4" IB
1109	454006.8579	2355100.101	1207.238	CL MON	5/8" IB
1110	454012.7228	2355466.164	1200.635	CL MON	1/2" IB
1111	454018.6995	2355847.673	1193.501	CL MON	5/8" IB
1113	454029.9968	2356498.028	1183.758	CL MON	1" IB
1114	453634.7977	2353849.046	1217.187	CL MON	5/8" IB
1116	453655.8409	2355104.401	1205.558	CL MON	1 1/4" HEXHEAD
1118	453032.3994	2353856.353	1225.908	CL MON	3/4" IP
1119	453044.2945	2355112.006	1208.98	CL MON	MON BOX-1" IBF
1120	453051.9305	2355928.488	1184.585	CL MON	1" IB
1121	453054.7567	2356230.045	0	CL MON	MON BOX-1" IBF
1122	453057.4203	2356526.143	1162.677	CL MON	1" IB
1123	455368.3442	2356881.052	1159.593	CL MON	3/4" IP
1124	455372.169	2357180.925	1152.749	CL MON	3/8" IP
1127	455038.3606	2356785.07	1174.331	CL MON	5/8" IB
1128	455041.8889	2357185.117	1167.452	CL MON	3/4" SQ. IB
1129	454722.8439	2356489.039	1188.414	CL MON	1" IB
1130	454725.5203	2356789.168	1183.044	CL MON	3/4" SQ. IB
1131	454729.1893	2357189.189	1175.984	CL MON	3/4" SQ. IB
1132	454732.1042	2357484.203	1170.45	CL MON	1/2" SQ. IB
1134	454392.2304	2356493.238	1190.185	CL MON	1/2" HEAVYWALL IP
1137	453014.6947	2351195.032	0	CL MON	MON BOX-1" IBF
1138	453016.2987	2351444.399	0	CL MON	MON BOX-1" IBF
1139	453018.6111	2351791.606	0	CL MON	MON BOX-1" IBF
1140	453019.7422	2351963.583	0	CL MON	MON BOX-1" IBF
1141	453021.0758	2352142.776	1237.351	CL MON	1" IB
1142	453023.9593	2352593.029	0	CL MON	MON BOX-1" IBF
1143	453026.1326	2352908.01	0	CL MON	MON BOX-1" IBF
1144	453028.2149	2353223.123	0	CL MON	MON BOX-1" IBF
1145	453030.2972	2353538.238	0	CL MON	MON BOX-1" IBF
1146	452698.3585	2351451.13	1238.643	CL MON	AXLE
1148	452703.308	2352149.428	1244.129	CL MON	1/2" IB
1149	452708.0091	2352913.719	1234.822	CL MON	1/2" IB
1150	452710.091	2353227.197	1229.56	CL MON	3/4" IB
1151	452712.1607	2353542.32	0	CL MON	MON BOX-1" IBF
1152	452714.2501	2353860.443	1227.77	CL MON	1 1/2" IB
1153	452068.4186	2351464.97	1245.907	CL MON	AXLE
1154	452070.9318	2351812.407	1249.153	CL MON	3/4" SQ. IB
1156	452078.2593	2352927.515	1241.939	CL MON	3/4" IP
1157	452080.1758	2353235.264	1238.012	CL MON	5/8" IB
1158	452084.1721	2353875.969	1231.743	CL MON	3/4" IB
1159	452383.4567	2351458.254	1242.127	CL MON	1/2" IP
1160	452395.2655	2353231.236	1234.023	CL MON	5/8" IB
1161	452399.267	2353864.242	1231.676	CL MON	MAG NAIL
1162	452717.529	2354180.988	1225.584	CL MON	3/4" IP
1163	452402.6494	2354187.717	1226.997	CL MON	3/4" IB
1165	452408.3267	2354821.668	1210.612	CL MON	5/8" IB
1166	452411.3631	2355123.212	1205.451	CL MON	1" IB
1167	452414.8401	2355489.193	1195.846	CL MON	1" IB
1171	452422.3368	2356241.362	1185.382	CL MON	3/4" IB
1173	452092.0371	2354194.053	1226.511	CL MON	3/4" IP
1177	454037.1278	2357197.665	1174.228	CL MON	3/4" IP BENT
1179	453676.8127	2356501.985	1169.799	CL MON	3/4" IP
1182	453082.0857	2359165.596	1128.906	CL MON	1" IB

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1192	450760.7562	2353936.317	1232.278	CL MON	1" IB
1193	450460.8036	2353942.626	1232.165	CL MON	1" IB
1194	451131.7306	2354212.934	1233.197	CL MON	1" IP
1196	450769.627	2354850.82	1226.223	CL MON	1" IB
1197	453035.3998	2354174.594	1223.755	CL MON	1" IB
1198	453041.4122	2354810.653	0	CL MON	MON BOX
1199	453047.5946	2355477.742	0	CL MON	MON BOX-1" IBF
1200	453051.1792	2355860.193	1162.677	CL MON	MON BOX-1" IBF
1201	450772.4159	2355152.358	1221.578	CL MON	3/4" IP
1202	450776.0462	2355518.031	1210.967	CL MON	1/2" IP
1203	450779.642	2355899.815	1207.898	CL MON	3/4" IP
1204	450783.2357	2356269.75	1203.384	CL MON	3/4" IP
1211	449978.2513	2353952.842	0	CL MON	MON BOX-1" IBF
1214	449563.0507	2353961.931	0	CL MON	MON BOX-1" IBF
1220	459068.1583	2351119.666	1160.722	CL MON	1" IB
1222	459079.8811	2352106.457	1156.311	CL MON	1" IB
1224	459087.4778	2353207.516	1140.769	CL MON	PK
1225	458757.8851	2351123.778	1163.725	CL MON	1" IB
1226	458763.1992	2351769.136	1164.853	CL MON	1" IB
1227	458765.9513	2352110.398	1150.865	CL MON	1" IP
1228	458770.5575	2352642.464	1140.953	CL MON	1" IB
1229	458775.1003	2353212.58	1141.35	CL MON	1" IB
1230	458775.6476	2353293.91	1142.555	CL MON	1" IP
1231	458779.6842	2353774.286	1149.966	CL MON	MON BOX-3/4" IBF
1232	458445.2668	2351127.882	1167.354	CL MON	MON BOX-3/4" IBF
1233	458450.6414	2351773.058	1151.175	CL MON	1" IB
1234	458453.5053	2352113.983	1143.571	CL MON	5/8" IB
1235	458455.5756	2352380.34	1148.453	CL MON	5/8" IB
1236	458458.1144	2352647.107	1151.83	CL MON	5/8" IB
1238	458466.9112	2353779.098	0	CL MON	MON BOX-3/4" IBF
1239	458254.2732	2351130.414	0	CL MON	MON BOX-1" IBF
1240	458259.67	2351775.558	0	CL MON	MON BOX-1" IBF
1241	459704.9337	2350581.419	1119.859	CL MON	1/2" IP BENT
1242	457981.0115	2351134.115	0	CL MON	MON BOX-1" IBF
1243	457986.0254	2351779.568	1147.874	CL MON	1" IB
1244	457988.6717	2352120.222	1150.536	CL MON	1" IB
1245	457990.8368	2352386.557	1153.801	CL MON	1" SQ. IB
1247	457995.6547	2352984.369	1157.453	CL MON	1" IB
1248	457998.4859	2353306.266	1160.096	CL MON	1" IB
1249	458002.3548	2353786.559	0	CL MON	MON BOX-3/4" IBF
1251	457725.9923	2351783.188	0	CL MON	MON BOX-1" IBF
1252	457575.9845	2351139.6	1166.097	CL MON	1" IB
1254	457512.2957	2352394.584	1159.072	CL MON	1" IB
1255	457512.6022	2352660.873	1160.271	CL MON	1" SQ. IB BENT
1258	457521.9935	2353794.209	1156.582	CL MON	1" IP
1259	459097.63	2353769.263	0	CL MON	MON BOX-1" IBF
1260	459100.8098	2354207.489	1146.846	CL MON	1" IB
1261	459106.8468	2355016.659	1145.926	CL MON	1 1/4" IB
1263	458786.1611	2354656.141	1148.866	CL MON	3/4" IB W/ 1" SQ. HEAD
1264	458789.1756	2355021.231	1151.264	CL MON	1" IB
1267	458476.4824	2355025.64	1150.929	CL MON	1" IB
1268	457944.3877	2353787.598	1158.827	CL MON	MON BOX-STAR SPIKE FD.
1270	457952.2048	2355032.941	1152.604	CL MON	1" IB
1272	457538.6833	2355038.747	1159.455	CL MON	1" IB
1273	457066.8118	2353801.422	0	CL MON	MON BOX-5/8" IBF
1274	457080.4679	2355045.301	1164.873	CL MON	1" IB

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1275	459111.2045	2355396.907	1145.684	CL MON	1" IB
1276	459115.382	2355780.648	1143.007	CL MON	1" IB
1277	459119.4384	2356150.749	1135.052	CL MON	1" IB
1278	459122.9045	2356421.387	1125.326	CL MON	AXLE
1279	458793.0625	2355401.482	1141.996	CL MON	3/4" IB
1280	458797.1833	2355785.734	1136.819	CL MON	1" IB
1281	458800.7507	2356155.891	1131.45	CL MON	1" SQ. IB
1282	458804.0229	2356427.79	1123.419	CL MON	AXLE
1283	458479.343	2355335.475	1140.954	CL MON	1" IB
1284	458479.2581	2355406.224	1139.944	CL MON	1" IB
1285	458483.6936	2355790.631	1138.57	CL MON	1" IB
1286	458487.0742	2356160.938	1135.83	CL MON	1" IB
1287	457320.7055	2355041.856	0	CL MON	MON BOX-1" IBF
1288	457948.1565	2355343.163	1156.099	CL MON	1/2" SQ. IB
1290	457953.5737	2356168.428	1146.676	CL MON	1" IBF
1291	457954.9917	2356440.693	1133.164	CL MON	1" IP
1294	457532.4317	2356174.544	1154.72	CL MON	1" IB
1297	457209.5112	2355809.258	1167.609	CL MON	STONE
1298	457212.7878	2356179.219	1161.325	CL MON	1" IB
1301	459450.7573	2356805.489	1114.675	CL MON	1" IB
1302	459454.5981	2357105.842	1099.378	CL MON	1" IB
1303	459127.1976	2356812.065	1112.711	CL MON	STONE W/X
1304	458808.6384	2356818.387	1115.392	CL MON	1 1/4" IB
1315	457960.5228	2356835.537	1113.869	CL MON	3/4" IPF
1316	457964.7584	2357135.497	1105.035	CL MON	1" IPF
1317	457968.9288	2357430.473	1097.873	CL MON	3/4" IPF
1318	457973.0823	2357725.448	1092.978	CL MON	3/4" IPF
1319	457977.1955	2358020.44	0	CL MON	MON BOX-1" IBF
1321	457548.9926	2357438.184	0	CL MON	MON BOX-1" IBF
1322	457553.1557	2357733.155	0	CL MON	MON BOX-1" IBF
1326	459390.5886	2351115.316	1151.887	CL MON	1" IB
1327	459398.4744	2351761.393	1159.045	CL MON	1" IB
1328	459402.5201	2352102.445	1153.033	CL MON	1" IB
1329	459408.2233	2352634.995	1133.049	CL MON	3/4" IB
1330	459414.3095	2353202.287	1127.438	CL MON	1" IB
1332	459710.5172	2351111.038	1142.7	CL MON	1" IB
1333	459718.2816	2351757.599	1154.326	CL MON	1" IB
1334	459722.3757	2352098.528	1148.296	CL MON	1" IB
1337	460013.0126	2351106.98	1134.242	CL MON	1" IB
1338	460020.8613	2351755.331	1142.335	CL MON	1" IB
1339	460025.0191	2352094.83	1140.814	CL MON	1" IB
1341	460037.0684	2353125.048	1112.848	CL MON	1" IB
1342	460310.4706	2351103.083	1123.606	CL MON	MON BOX-1" IPF
1343	460317.9706	2351753.532	1127.491	CL MON	1 1/4" IB
1344	460322.058	2352091.394	1126.07	CL MON	1" IB
1345	460328.5255	2352624.154	1123.424	CL MON	1" SQ. IB
1346	460334.2091	2353121.092	1109.204	CL MON	1/2" IB W/ 1/2" SQ. HEAD
1347	460341.5895	2353749.275	1112.02	CL MON	3/4" IB
1348	461237.799	2351090.479	1100.873	CL MON	1" PINCHTOP
1349	461248.1351	2352079.113	1094.296	CL MON	1" IP
1350	461251.7088	2352413.389	1092.3	CL MON	1" IP
1351	461265.6435	2353736.351	0	CL MON	MON BOX-1/2" IPF
1352	461266.5277	2354181.149	1078.91	CL MON	1" IB
1353	461270.2196	2354629.847	1079.818	CL MON	1" IP
1354	461271.9748	2354843.554	1076.85	CL MON	3/4" SQ. IB
1355	461172.3174	2354952.585	1077.666	CL MON	5/8" IB

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1356	461136.937	2354990.391	0	CL MON	MON BOX-1" IBF
1358	460904.6162	2355243.011	1076.666	CL MON	1" SQ. IB
1362	460911.1516	2355753.831	1076.374	CL MON	1" IB
1365	461314.1704	2356029.589	1062.36	CL MON	1/2" SQ. IB
1366	461319.3849	2356386.871	1064.183	CL MON	RRSF
1367	460919.1778	2356391.496	1075.288	CL MON	3/4" IP
1368	461314.1704	2356029.589	1062.36	CL MON	X
1369	460692.2463	2354190.23	0	CL MON	MON BOX-1" IBF
1370	460697.9762	2354634.455	0	CL MON	MON BOX-1" IBF
1374	460586.2128	2355758.402	1090.8	CL MON	MON BOX-1" IBF
1375	460484.0752	2356129.394	1094.48	CL MON	1" SQ. IB
1376	460357.3233	2354187.347	1107.372	CL MON	1" IB
1377	460363.0542	2354639.511	1096.909	CL MON	1 1/4" IB
1379	460372.3209	2355379.365	1101.328	CL MON	1/2" IP
1380	460377.7138	2355760.96	1104.501	CL MON	1" IB
1381	460381.9138	2356130.802	1100.764	CL MON	1" IB
1382	460385.2505	2356398.361	1093.101	CL MON	3/4" IB W/ 1" HEXHEAD
1383	460044.6746	2353754.281	1121.672	CL MON	MON BOX-3/4" IBF
1384	460051.0448	2354192.227	1116.649	CL MON	1" IB
1385	460057.0744	2354642.492	1101.621	CL MON	STAR SPK.
1386	460061.4998	2355003.585	1108.564	CL MON	1" IB
1387	460066.4141	2355383.529	1116.204	CL MON	5/8" IB
1388	460071.5463	2355766.033	1123.077	CL MON	1" IB
1389	460075.9047	2356135.688	1117.207	CL MON	1" IB
1391	459740.2225	2353758.842	0	CL MON	MON BOX-1" IBF
1392	459743.4832	2354197.217	1125.469	CL MON	1" IB
1395	459753.9339	2355387.696	1130.743	CL MON	1" SQ. IB BENT
1396	459758.9851	2355770.704	1147.732	CL MON	3/8" IB
1397	459763.2392	2356140.785	1137.979	CL MON	1" SQ. IB
1398	459756.9389	2356409.297	1121.263	CL MON	1" IP
1399	459423.2446	2354202.382	1140.465	CL MON	1" IB
1401	459429.2809	2355012.282	1135.38	CL MON	1" IB
1402	459433.6949	2355392.198	1148.239	CL MON	1" IB
1403	459438.2075	2355775.776	1154.997	CL MON	1" IB
1404	459442.4765	2356145.722	1144.986	CL MON	3/8" IP
1405	459766.12	2356409.091	1120.598	CL MON	1" IB
1407	461320.0522	2356777.286	1061.694	CL MON	1" IB
1408	461325.8365	2357175.94	1056.338	CL MON	5/8" IB
1409	460924.7227	2356781.738	1070.327	CL MON	3/4" IB
1410	460929.7903	2357132.858	0	CL MON	MON BOX - 1" IB
1412	460934.2814	2357444.025	0	CL MON	MON BOX - 1" IB
1413	460938.7725	2357755.193	0	CL MON	MON BOX - 1" IB
1414	460603.8246	2356785.483	0	CL MON	MON BOX - 1" IB
1415	460660.9185	2357137.037	0	CL MON	MON BOX - 1" IB
1416	460619.0905	2357448.925	0	CL MON	MON BOX - 1" IB
1417	460624.439	2357760.079	0	CL MON	MON BOX - 1" IB
1418	460573.1483	2357449.639	0	CL MON	MON BOX - 1" IB
1419	460485.3782	2357762.241	0	CL MON	MON BOX - 1" IB
1420	460545.3856	2357104.599	0	CL MON	MON BOX - 1" IB
1421	460457.6155	2357417.2	0	CL MON	MON BOX - 1" IB
1422	460369.8454	2357729.802	0	CL MON	MON BOX - 1" IB
1423	461331.0371	2357535.637	1053.556	CL MON	MON BOX - 5/8" IB
1424	461338.3736	2358061.464	1050.776	CL MON	MON BOX - 1" IB SET?
1425	461352.2292	2359032.633	1052.36	CL MON	RRSF
1426	460943.2631	2358066.36	1053.042	CL MON	MON BOX - 3/4" IB
1427	460947.7535	2358377.439	0	CL MON	MON BOX - 1" IB

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1428	460952.4516	2358688.513	1050.323	CL MON	MON BOX - 1/2" IP
1430	460629.791	2358071.233	0	CL MON	MON BOX - 1" IB
1431	460635.1414	2358382.298	0	CL MON	MON BOX - 1" IB
1432	460640.4919	2358693.363	0	CL MON	MON BOX - 1" IB
1433	460646.5215	2359043.911	0	CL MON	MON BOX - 1" IB
1434	460397.6082	2358074.842	0	CL MON	MON BOX - 1" IB
1438	460282.0754	2358042.404	0	CL MON	MON BOX - 1" IB
1439	460309.8631	2358387.355	0	CL MON	MON BOX - 1" IB
1440	460194.3302	2358354.916	0	CL MON	MON BOX - 1" IB
1442	460077.7024	2358659.318	0	CL MON	MON BOX - 1" IB
1443	459966.7521	2359054.478	0	CL MON	MON BOX - 1" IB
1444	463470.7358	2351059.561	1073.379	CL MON	1" IB
1445	463480.5079	2352049.962	1055.869	CL MON	3/4" IP
1446	463483.579	2352391.833	1058.715	CL MON	5/8" IB
1449	463143.7491	2352054.458	1061.268	CL MON	1" IB
1453	462725.593	2353718.437	1069.33	CL MON	3/4" IP
1457	462705.7728	2352060.286	1068.889	CL MON	1" IB
1460	462643.4574	2353719.549	0	CL MON	SET MON
1461	462256.724	2351076.382	1082.62	CL MON	STAR SPK.
1463	462262.6146	2352065.925	1076.552	CL MON	1" IB
1464	462266.3537	2352400.107	1073.704	CL MON	1" IB
1465	462280.6694	2353723.973	0	CL MON	MON BOX-NAIL SPK RESET pt36
1467	461924.6953	2352070.392	1082.443	CL MON	1" IB
1468	461928.4179	2352404.78	0	CL MON	MON BOX-1" IBF-GONE
1469	461940.7222	2353728.119	0	CL MON	SET MON
1470	461627.2942	2351085.103	1088.911	CL MON	MARKS ON MH LID
1471	461637.64	2352073.982	1087.375	CL MON	3/4" IB
1474	461629.7948	2353731.91	0	CL MON	SET MON
1476	463508.5755	2354654.008	1048.411	CL MON	1" IB
1477	463407.3458	2354600.138	1053.923	CL MON	1" IP
1479	463184.3174	2354602.765	1062.579	CL MON	STAR SPK.
1481	463171.0939	2353713.088	0	CL MON	MON BOX-1" IBF
1482	462733.0898	2354163.556	1068.87	CL MON	5/8" IB
1483	462738.7453	2354608.056	1066.62	CL MON	1" IB
1485	462777.478	2356370.101	1054.69	CL MON	1/2" IP
1486	462286.9275	2354168.949	1070.25	CL MON	1" IB
1488	462293.1415	2354613.305	1069.01	CL MON	3/4" IP
1493	461568.3527	2355753.255	1063.8	CL MON	3/4" SQ IB
1495	462048.4848	2356378.655	1059.32	CL MON	5/8" IB
1496	462055.0215	2356768.831	1048.76	CL MON	3/4" IB
1502	461690.241	2356772.981	1053.83	CL MON	1" IB
1503	461696.0106	2357171.718	1053.26	CL MON	5/8" IB
1504	461701.3808	2357531.419	1053.14	CL MON	5/8" IB
1505	461708.4224	2358057.487	1050.53	CL MON	5/8" IB
1508	461760.1651	2359026.188	1048.52	CL MON	5/8" IB
1516	464500.6254	2353696.862	0	CL MON	MON BOX-3/4" SQ. IBF
1521	464442.6757	2351048.761	0	CL MON	MON BOX-1" IBF
1522	463992.7035	2351053.761	0	CL MON	MON BOX-1" IBF
1536	463451.6116	2348403.754	0	CL MON	MON BOX-1" IBF
1537	463975.8063	2348713.151	1085.105	CL MON	1" IP
1538	463453.8854	2348719.522	1093.314	CL MON	AXLE
1539	463456.2957	2349054.556	1089.251	CL MON	1" IB
1545	464430.8119	2349395.904	0	CL MON	MON BOX-1" IBF
1546	464434.5564	2349874.047	0	CL MON	MON BOX-1" IBF
1547	464436.5972	2350163.959	1071.983	CL MON	1/2" IB
1548	464438.3912	2350453.776	0	CL MON	MON BOX-1" IBF

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1549	464440.4795	2350743.769	0	CL MON	MON BOX-1" IBF
1551	463984.2307	2349879.086	1081.281	CL MON	RRSPK. IN BOX
1552	463986.3308	2350168.784	0	CL MON	MON BOX-1" IBF
1553	463988.419	2350458.776	0	CL MON	MON BOX-1" IBF
1554	463990.5073	2350748.769	0	CL MON	MON BOX-1" IBF
1555	463458.8753	2349407.011	1087.452	CL MON	1" IB
1556	463462.2981	2349884.853	1087.859	CL MON	1" IB
1557	463464.3474	2350174.801	1087.25	CL MON	1" IB
1558	463466.4603	2350464.782	1086.049	CL MON	AXLE
1559	463468.5919	2350754.76	1080.846	CL MON	1" IB
1566	462796.7232	2348730.827	1095.13	CL MON	5/8" IB NO BOX
1567	462799.1633	2349066.668	1094.374	CL MON	1/2" IB
1571	461223.0633	2349092.725	1103.431	CL MON	1" IB
1574	460843.7487	2348448.584	1102.998	CL MON	1" IB W/2" HEXHEAD
1577	460287.2874	2349157.908	1119.229	CL MON	1/2" IB
1578	460296.9737	2349956.641	1112.799	CL MON	MON BOX-1" IBF
1582	460304.3306	2350571.694	1113.31	CL MON	1" HEX IB
1583	460007.1921	2350576.727	1118.726	CL MON	1" IB
1594	457476.7607	2346421.464	1182.434	CL MON	5/8" IB
1595	457882.6564	2346698.739	1167.845	CL MON	5/8" IB
1596	457883.7632	2346788.735	1167.067	CL MON	5/8" IB
1597	458754.1438	2350684.931	1145.165	CL MON	1" IB
1600	458436.6487	2349982.911	0	CL MON	3/4" IBF
1601	458441.7061	2350688.941	1149.187	CL MON	MON BOX-1" IPF
1602	457977.2332	2349987.88	0	CL MON	MON BOX-1" IBF
1604	457568.8608	2349992.297	0	CL MON	MON BOX-1" IBF
1605	457573.314	2350709.508	0	CL MON	MON BOX-1" IBF
1606	457420.5919	2348629.012	1181.532	CL MON	MON BOX-1/2" IBF
1608	456932.9417	2348952.625	1184.953	CL MON	1" IB
1609	456936.4905	2349483.021	0	CL MON	MON BOX-1" IBF
1610	456939.9435	2349999.099	0	CL MON	MON BOX-1" IBF
1611	456943.7993	2350575.373	0	CL MON	MON BOX-1" IBF
1613	457535.2954	2345827.637	1185.967	CL MON	PK NAIL
1614	456722.8183	2344362.928	1196.026	CL MON	1" IB
1615	456906.8497	2345290.19	1190.262	CL MON	RR SPK.
1616	456913.3112	2345834.972	1202.36	CL MON	RR SPK.
1617	456916.9379	2346404.989	1191.799	CL MON	5/8" IB
1618	457218.9732	2346411.662	1187.532	CL MON	RR SPK.
1619	457296.6423	2346431.508	1185.891	CL MON	5/8" IB
1620	456925.0823	2347713.309	1174.708	CL MON	1" IB
1622	456624.6911	2347715.265	1181.401	CL MON	5/8" IB
1623	456622.2208	2347324.101	1173.643	CL MON	1" IB
1629	455985.3011	2347329.019	1186.514	CL MON	5/8" IB
1633	456586.8528	2349487.678	0	CL MON	MON BOX-1" IBF
1634	456593.6383	2350466.555	1172.722	CL MON	1" IB W\ 1 1/4" SQ HEAD
1636	456237.0634	2349492.336	1198.588	CL MON	AXLE
1637	456242.8726	2350358.372	0	CL MON	MON BOX-1" IBF
1639	455803.6719	2349498.122	1203.415	CL MON	1" IP
1640	455810.8368	2350513.616	0	CL MON	MON BOX-1" IBF
1641	455474.6	2348696.298	1214.36	CL MON	MON BOX-3/4" IPF
1646	455190.5482	2349505.044	0	CL MON	MON BOX-1" IBF 
1647	455197.7406	2350717.074	0	CL MON	MON BOX-1" IBF
1648	454900.5629	2349507.96	0	CL MON	MON BOX-1" IBF
1649	454907.5598	2350761.983	0	CL MON	MON BOX-1" IBF
1650	455351.7094	2343417.95	1210.041	CL MON	1" IB
1651	455357.4552	2343952.831	1206.689	CL MON	1" IB

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1652	455331.83	2344162.343	1208.864	CL MON	1" IB
1653	455316.8461	2344219.952	1209.456	CL MON	1" IB
1654	455318.8499	2344478.798	1210.988	CL MON	1" IB
1655	455361.7335	2344633.608	1208.131	CL MON	1" IB
1656	455390.6541	2344840.406	1205.142	CL MON	1" IB
1659	454855.0658	2343865.133	1220.929	CL MON	STAR SPK.
1660	454858.4505	2343975.327	1219.267	CL MON	PK NAIL
1661	454888.1766	2344500.07	1216.23	CL MON	PK NAIL
1662	454895.6007	2344630.246	1213.158	CL MON	PK NAIL
1664	454536.0937	2343441.527	1225.247	CL MON	5/8" IB
1665	454456.5783	2343851.587	1225.486	CL MON	5/8" IB
1666	454412.5467	2344452.969	1218.804	CL MON	5/8" IB
1667	456242.8726	2350358.372	1179.961	CL MON	3/4" IB (NO BOX)
1672	455054.5153	2347785.707	1222.627	CL MON	MON BOX-3/4" IBF
1674	454682.1871	2347788.672	1237.476	CL MON	MON BOX-3/4" IBF
1681	454551.1505	2349511.474	0	CL MON	MON BOX-1" IBF
1682	454559.8757	2350754.622	0	CL MON	MON BOX-1" IBF
1683	454241.1662	2349514.591	0	CL MON	MON BOX-1" IBF
1684	454248.979	2350627.744	0	CL MON	MON BOX-1" IBF
1686	453934.498	2349175.605	1230.237	CL MON	MON BOX-1" IPF
1687	453936.4016	2349517.655	0	CL MON	MON BOX-1" IBF
1689	453943.1262	2350483.316	0	CL MON	MON BOX-1" IBF
1690	453631.4658	2349520.667	1224.528	CL MON	1" IB
1691	453638.1502	2350470.374	0	CL MON	MON BOX-1" IBF
1693	453321.5493	2349523.793	1226.906	CL MON	MON BOX-1 1/4" IBF
1694	453328.4565	2350521.719	0	CL MON	MON BOX-1" IBF
1695	452990.6107	2347930.08	1246.131	CL MON	1" IB
1696	452994.3617	2348294.942	1247.796	CL MON	1" IB
1697	452997.992	2348660.032	1250.035	CL MON	2" IB
1698	453000.2764	2349024.878	1249.189	CL MON	1" IB
1699	453003.0796	2349446.334	1233.569	CL MON	1" IB
1700	453003.5988	2349527.035	1229.81	CL MON	1" IB
1701	453007.2462	2350083.208	0	CL MON	MON BOX-1" IBF
1702	453010.2473	2350547.16	0	CL MON	MON BOX-1" IBF
1703	453011.2302	2350665.713	0	CL MON	MON BOX-1" IBF
1705	452876.939	2351108.056	0	CL MON	MON BOX-1" IBF
1706	452629.9389	2350366.867	1214.559	CL MON	MON BOX-1" IBF
1707	452519.37	2350425.645	1215.508	CL MON	3/4" IBF
1708	452718.8922	2350806.428	0	CL MON	MON BOX-1" IBF
1709	452377.2636	2350470.473	0	CL MON	MON BOX-1" IBF
1710	452379.4751	2350813.747	0	CL MON	MON BOX-1" IBF
1711	452381.4399	2351118.741	0	CL MON	MON BOX-1" IBF
1715	452921.0943	2339553.085	1196.59	CL MON	1" IB
1716	452948.9885	2343419.376	1242.457	CL MON	1" IB
1717	452943.1516	2342736.016	0	CL MON	MON BOX-1" IBF
1718	452287.1199	2341123.676	0	CL MON	MON BOX-5/8" IBF
1719	452288.8404	2341303.808	0	CL MON	MON BOX-1" IBF
1720	452291.6575	2341608.825	0	CL MON	MON BOX-1" IBF
1721	452302.2889	2342759.889	0	CL MON	MON BOX-1" IBF
1723	451976.0853	2342106.132	0	CL MON	5/8" IBF MON BOX
1724	451982.4607	2342786.045	0	CL MON	5/8" IBF W\SQ. BOLT HEAD MON
1725	451773.1733	2341161.035	0	CL MON	1" IBF MON BOX
1726	451686.2098	2341572.994	0	CL MON	1/2" PTF MON BOX
1727	451698.2919	2342793.31	0	CL MON	SCM MON BOX
1728	452114.4515	2341610.466	0	CL MON	1" PTF MON BOX
1729	451808.3204	2341571.853	0	CL MON	1/2" PTF MON BOX

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1730	451961.4412	2341591.198	0	CL MON	1/2" PTF MON BOX
1733	453612.2767	2344309.758	1231.019	CL MON	1/2" IB
1734	453847.579	2343965.622	1228.557	CL MON	1" IB
1735	452969.9489	2345880.515	1248.911	CL MON	1" IB
1736	452971.4146	2346038.107	1247.604	CL MON	1" IB
1737	452979.2503	2346804.95	1246.364	CL MON	1" IB
1738	452985.5652	2347434.095	0	CL MON	MON BOX-1" IBF
1739	452986.893	2347565.088	0	CL MON	MON BOX-1" IBF
1740	452922.626	2345875.056	1248.445	CL MON	1" IB
1741	452680.4104	2345932.007	1247.281	CL MON	1" IB
1742	452588.5909	2345976.4	1246.493	CL MON	1" IB
1744	452329.6379	2347584.031	1255.536	CL MON	1/2" IB
1745	452333.0086	2347948.915	1247.812	CL MON	3/4" IP
1746	452336.3687	2348313.609	1249.073	CL MON	3/4" IP
1747	452339.803	2348678.674	1253.333	CL MON	1" IB
1748	451729.7274	2347601.073	1252.682	CL MON	1/2" IB
1749	451733.1576	2347965.701	1250.14	CL MON	3/4" IP
1750	451736.5037	2348330.781	1254.522	CL MON	3/4" IP NO BOX
1751	451740.1839	2348695.656	1259.428	CL MON	1" IB
1753	451105.5408	2347597.066	1253.15	CL MON	RR SPK.
1755	451278.2963	2347922.209	1253.04	CL MON	RR SPK.
1756	451451.0939	2348247.276	1255.191	CL MON	RR SPK.
1759	451614.9771	2348555.389	1258.921	CL MON	RR SPK.
1763	450372.4331	2347617.879	0	CL MON	MON BOX-1" IBF
1764	450374.8658	2347947.93	0	CL MON	MON BOX-1" IBF
1765	450377.2522	2348277.992	0	CL MON	MON BOX-1" IBF
1766	450379.6016	2348590.422	0	CL MON	MON BOX-1" IBF
1768	451870.3834	2349071.607	0	CL MON	MON BOX-1" IBF
1769	451993.2966	2349481.167	0	CL MON	MON BOX-1" IBF
1770	452190.4558	2349809.008	0	CL MON	MON BOX-1" IBF
1771	452426.545	2350248.491	0	CL MON	MON BOX-1" IBF
1772	452060.2136	2350180.666	0	CL MON	MON BOX-1" IBF
1773	452062.3363	2350510.151	0	CL MON	MON BOX-3/4" IPF
1774	452064.443	2350820.539	0	CL MON	MON BOX-1" IBF
1775	452066.5131	2351125.532	0	CL MON	MON BOX-1" IBF
1776	451599.1425	2348858.482	0	CL MON	MON BOX-1" IBF
1777	451601.1441	2349176.167	0	CL MON	MON BOX-1" IBF
1778	451603.2495	2349510.32	0	CL MON	MON BOX-1" IBF
1779	451605.2253	2349823.903	0	CL MON	MON BOX-1" IBF
1780	451607.6118	2350192.433	1230.651	CL MON	3/4" IP
1781	451611.4633	2350746.455	0	CL MON	MON BOX-1" IBF
1782	451613.9684	2351135.29	1244.276	CL MON	1" IP
1789	450395.3777	2348902.012	1253.865	CL MON	PK NAIL
1790	450364.8892	2349876.808	1249.738	CL MON	3/4" IB
1791	450316.3165	2350232.747	1252.799	CL MON	3/4" IB
1794	450205.2951	2348907.583	1252.746	CL MON	PK NAIL
1795	450113.8841	2348946.841	1250.599	CL MON	5/8" IB
1798	450012.222	2350216.697	1253.242	CL MON	PK NAIL
1799	449807.262	2349119.017	1246.144	CL MON	5/8" IB
1801	449851.8649	2350221.824	1252.567	CL MON	PK NAIL
1802	449856.0387	2350396.771	1251.802	CL MON	PK NAIL
1805	449884.8892	2350740.308	1250.574	CL MON	PK NAIL
1806	449887.8217	2350865.327	1250.253	CL MON	PK NAIL
1808	449614.0304	2349067.693	1244.662	CL MON	5/8" IB
1811	449379.616	2349081.527	1244.112	CL MON	5/8" IB
1812	449263.4204	2349127.592	1243.472	CL MON	5/8" IB

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
1814	449080.7967	2349151.449	1243.527	CL MON	5/8" IB
1815	448727.9745	2349108.922	1246.322	CL MON	5/8" IB
1817	448906.545	2349787.86	1247.659	CL MON	MAG NAIL
1818	449200.391	2350240.891	1249.231	CL MON	PK NAIL
1819	449171.9863	2348624.537	1245.972	CL MON	3/4" IB
1820	449169.5731	2348312.097	0	CL MON	MON BOX-1" IBF
1828	461636.9266	2354448.471	1072.654	CL MON	1" X 3/4" IB
1831	461471.3859	2354628.234	1075.613	CL MON	3/4" IP
1833	461390.5562	2354715.692	1078.627	CL MON	3/4" SQ. IB
1834	461412.3156	2355173.906	1071.517	CL MON	1/2" SQ. IB
1863	451973.6642	2342786.504	0	CL MON	SCM MON BOX
1864	452073.3887	2342780.763	0	CL MON	SCM MON BOX
1865	452926.7047	2340801.153	0	CL MON	1" IBF MON BOX
1866	452376.72	2342753.102	0	CL MON	MON BOX-1" IBF
1867	452476.7382	2342747.334	0	CL MON	MON BOX-1" IBF
1868	450199.9374	2347952.933	0	CL MON	MON BOX-1" IBF
1869	450129.0591	2347972.122	0	CL MON	MON BOX-1" IBF
1870	450058.1807	2347991.311	0	CL MON	MON BOX-1" IBF
1871	451601.1654	2349179.548	0	CL MON	MON BOX-1" IBF
1872	452585.7633	2350390.431	1215.036	CL MON	1" IBF
1873	452497.2463	2350437.407	1216.568	CL MON	1"IPF PINCH TOP
1874	452267.4996	2350486.99	1221.394	CL MON	1" IBF
2000	453834.1728	2350468.459	1194.43	CL MON	1 1/4" IB INSIDE 2" IP
2001	454206.9068	2350599.53	1188.524	CL MON	MON BOX-2" IBF
2002	453436.8183	2350500.675	1199.634	CL MON	1 1/4" IB
2003	459401.1185	2350586.18	1123.999	CL MON	1/2" IP BENT
2004	465376.8724	2348157.191	0	CL MON	MON BOX-1" IBF
2005	464342.2843	2347071.595	0	CL MON	MON BOX-1" IBF
2006	464340.7886	2347295.93	0	CL MON	MON BOX-1" IBF
2009	464796.3084	2347298.967	0	CL MON	MON BOX-1" IBF
2010	465106.8766	2347492.146	0	CL MON	MON BOX-1" IBF
2011	465339.1679	2347955.674	0	CL MON	MON BOX-1" IBF
2012	465376.235	2348107.965	0	CL MON	MON BOX-1" IBF
2013	465265.1269	2347807.928	0	CL MON	MON BOX-1" IBF
2015	464867.7359	2347932.869	0	CL MON	MON BOX-1" IBF
2017	465090.1088	2347895.669	0	CL MON	MON BOX-1" IBF
2018	464934.3357	2347932.7	0	CL MON	MON BOX-1" IBF
2020	464339.5608	2347480.076	0	CL MON	MON BOX-1" IBF
2021	464790.7862	2347933.065	0	CL MON	MON BOX-1" IBF
2023	464515.8301	2347840.246	0	CL MON	MON BOX-1" IBF
2025	463449.191	2348026.81	0	CL MON	MON BOX-1" IBF
2029	463973.5167	2348397.94	0	CL MON	MON BOX-1" IBF
2030	464873.46	2348387.832	0	CL MON	MON BOX-1" IBF
2031	465379.728	2348382.145	0	CL MON	MON BOX-1" IBF
2036	464458.3913	2347915.198	0	CL MON	MON BOX-1" IBF
2038	464417.7708	2347955.861	0	CL MON	MON BOX-1" IBF
2042	464238.4253	2348017.912	0	CL MON	MON BOX-1" IBF
3000	455676.6132	2340530.475	0	CL MON	MON BOX-1" IPF (Main & Freshley)
3001	455678.2304	2340848.753	0	CL MON	MON BOX-1" IPF (P.C.)
3003	456294.0994	2342102.181	0	CL MON	MON BOX-1" IPF (P.T.)
3004	457071.9501	2342708.963	0	CL MON	MON BOX-1" IPF (P.O.T.)
3005	457683.0169	2343185.642	0	CL MON	MON BOX-1" IPF (P.O.T.)
3006	458294.0837	2343662.32	0	CL MON	MON BOX-1" IPF (P.O.T.)
3007	458797.2086	2344054.796	0	CL MON	MON BOX-1" IPF (P.C.)
3009	459155.1259	2344776.787	0	CL MON	MON BOX-1" IPF (P.T.)
3010	459167.698	2345812.396	0	CL MON	MON BOX-1" IPF (Main & Sawburg)

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
5001	455635.0233	2351165.887	1186.17	CL MON	1" IBF
5002	459751.8526	2355007.72	1121.872	CL MON	TP-MAG
5003	460369.8554	2354999.343	1097.882	CL MON	TP-MAG
5004	460904.1179	2354992.208	1073.096	CL MON	TP-MAG
5005	460357.4082	2354192.847	1107.333	CL MON	1" SQ. IB
5014	459762.9798	2356140.849	1137.98	CL MON	1/2" IB W/1" SQ.HEAD
5015	452388.4491	2352156.087	1248.703	CL MON	3/4" IB
5027	457230.5331	2344356.933	1186.588	CL MON	5/8" IB
5028	457324.1977	2344349.497	1183.788	CL MON	3/4" IB
5029	457417.9276	2344342.029	1181.428	CL MON	3/4" IB
5030	456726.5655	2344675.035	1192.742	CL MON	1" IB
5031	452989.2991	2347801.579	1248.214	CL MON	1" IB
5032	452999.0952	2348832.074	1251.24	CL MON	1" IB
5053	460885.5665	2353740.564	0	CL MON	MON BOX-1" IBF
5054	453070.8415	2357961.493	0	CL MON	MON BOX-1" IBF
5055	453057.2514	2356509.608	0	CL MON	MON BOX-1" IBF
5059	452953.751	2343978.585	0	CL MON	MON BOX-1" IBF
5064	465079.3647	2353689.781	0	CL MON	MON BOX-1" IBF
5065	465181.084	2353688.578	0	CL MON	MON BOX-1" IBF
5066	460351.5882	2353749.258	0	CL MON	MON BOX-1" IBF
5067	450238.169	2353947.152	0	CL MON	MON BOX-3/4" IPF
5068	447452.692	2354008.128	0	CL MON	MON BOX-1" IBF
5070	460686.4877	2353743.752	0	CL MON	MON BOX-1" IBF
5071	457720.9491	2351137.599	0	CL MON	MON BOX-5/8" IBF
5073	456758.3564	2353806.254	0	CL MON	MON BOX-1" IBF
5074	452084.2873	2353868.119	0	CL MON	MON BOX-1" IBF
5075	452072.0513	2353868.271	0	CL MON	MON BOX-1" IBF
5076	451709.6012	2353916.797	0	CL MON	MON BOX-1" IBF
5077	451299.0022	2353925.231	0	CL MON	MON BOX-1" IBF
5078	452964.195	2345226.648	0	CL MON	MON BOX-1" IBF
5079	452959.1474	2344626.492	0	CL MON	MON BOX-1" IBF
5083	453948.4436	2353384.552	0	CL MON	MON BOX-1" IBF
5084	454008.4392	2353383.825	0	CL MON	MON BOX-1" IBF
5085	453511.0107	2353217.336	0	CL MON	MON BOX-1" IBF
5086	453729.7272	2353300.944	0	CL MON	MON BOX-1" IBF
5087	453514.8588	2353535.152	0	CL MON	MON BOX-1" IBF
5088	453944.5956	2353066.736	0	CL MON	MON BOX-1" IBF
5089	454006.243	2353202.439	0	CL MON	MON BOX-1" IBF
5091	454373.3564	2353494.856	0	CL MON	MON BOX-1" IBF
5092	454148.1324	2353315.458	0	CL MON	MON BOX-1" IBF
5093	454369.8703	2353206.937	0	CL MON	MON BOX-1" IBF
5094	453978.4414	2353384.189	0	CL MON	MON BOX-1" IBF
5101	454718.1159	2350774.845	0	CL MON	MON BOX-1" IBF
5103	455490.0323	2351167.5	0	CL MON	MON BOX-1" IBF
5128	458262.5225	2352116.547	0	CL MON	MON BOX-1" IBF
5131	447433.1595	2351413.182	0	CL MON	MON BOX-1" IBF
5133	458212.3053	2345819.846	0	CL MON	MON BOX-1" IBF
6001	464855.8983	2349391.046	0	CL MON	5/8" IBF
6003	464867.6495	2351044.039	0	CL MON	MON BOX-1" IBF
6004	464865.4813	2350739.046	0	CL MON	MON BOX-1" IBF
6005	464863.4197	2350449.054	0	CL MON	MON BOX-1" IBF
6006	464861.3582	2350159.061	0	CL MON	MON BOX-1" IBF
6007	464859.2986	2349869.327	0	CL MON	MON BOX-1" IBF
6008	463980.8412	2349401.046	0	CL MON	MON BOX-1" IBF
7000	452288.6771	2349985.374	0	CL MON	MON BOX-1" IBF
7001	451606.6719	2350002.744	1230.651	CL MON	MON BOX-1" IBF - set?

City of Alliance GIS System

Scaling: Adjusted Coords Divided by given scale factor of 0.9998872300

Rotation: 0-0-0 (DMS)

Translation: PT #2 N 456731.181523 E 2351151.178105

PT#	Northing	Easting	Elev	Code	Description
7010	451914.055	2350179.885	0	CL MON	MON BOX-1" IBF - set?